ELSEVIER

Animal Feed Science and Technology
103 (2003) 187–188

ANIMAL FEED SCIENCE AND TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Contents of *Animal Feed Science and Technology*, Volume 103

VOL. 103 NOS. 1–4 **31 JANUARY 2003**

Ruminants

Rumen fermentation patterns and nutrient digestion in lambs fed cottonseed meal supplemental diets
D. Nagalakshmi, V.R.B. Sastry and A. Pawde (Hyderabad, India) 1

Influence of prolonged adaptation periods on starch degradation in the digestive tract of dairy cows
A. Matthé, P. Lebzien (Braunschweig, Germany), I. Hric (Nitra, Slovak Republic) and
G. Flachowsky (Braunschweig, Germany) 15

Effect of feed restriction on compensatory growth of Arsi (*Bos indicus*) bulls
N. Tolla, T. Mirkena (Ziway, Ethiopia) and A. Yimegnuhal (Addis Ababa, Ethiopia) 29

FIBEX-treated rice straw as a feed ingredient for lactating dairy cows
P.J. Weimer, D.R. Mertens (Madison, WI, USA), E. Ponnampalam, B.F. Severin (Lansing, MI, USA)
and B.E. Dale (East Lansing, MI, USA) 41

Effect of cold process monensin enriched urea molasses mineral blocks on performance
of crossbred calves fed a wheat straw based diet
D. De (Tadong, India) and G.P. Singh (Bikaner, India) 51

Dietary canola or soybean oil with two levels of conjugated linoleic acids (CLA) alter profiles
of 18:1 and 18:2 isomers in blood plasma and milk fat from dairy cows
J.J. Loor and J.H. Herbein (Blacksburg, VA, USA) 63

Nutritive value of whole crop wheat silage harvested at three stages of maturity
I. Filya (Bursa, Turkey) 85

Non-Ruminants

Prediction of the digestibility of the primary growth of grass silages harvested at different
stages of maturity from chemical composition and pepsin-cellulase solubility
J. Nousiainen (Valio, Finland), M. Rinne (Jokioinen, Finland), M. Hellämäki (Valio, Finland)
and P. Huhtanen (Jokioinen, Finland) 97

Effects of alkalis, oxidants and urea on the nutritive value of rhodes grass
(*Chloris gayana* cv. Callide)
B.C. Granzin (Wollongbar, Australia) and G. McL. Dryden (Gatton, Australia) 113

The use of a model ileum to investigate the effects of novel and existing antimicrobials on
indigenous porcine gastrointestinal microflora: using vancomycin as an example
D.P. Blake, K. Hillman and D.R. Fenlon (Aberdeen, UK) 123

Phytate degradation in soaked and fermented liquid feed—effect of diet, time of soaking,
heat treatment, phytase activity, pH and temperature
D. Carlson and H.D. Poulsen (Tjele, Denmark) 141

Short communications

Interactions between dietary phosphorus level, phytase supplementation and pelleting on
performance and bone parameters of broilers fed high levels of rice bran
A.M.L. Ribeiro (Rio Grande do Sul, Brazil), A.J. Mireles and K.C. Klasing (Davis, CA, USA) . 155

PII: S0377-8401(02)00314-0

Nutritional quality and yield of seedling alfalfa established with a barley companion crop and weeds
M.S. Zaman, J.R. Moyer, A.L. Boswall and Z. Mir (Lethbridge, Canada) 163
Effect of excess leucine in low protein diet on ketosis in 3-week-old male broiler chicks fed different levels of isoleucine and valine
M.T. Farran, E.K. Barbour and V.M. Ashkarian (Beirut, Lebanon). 171

Book review 177

Guide for Authors 179

Contents of *Animal Feed Science and Technology*, Volume 103 187

Vol. 103
Iss. 1 - 4
JAN 31

2003